

FLEXY TWIN

Modular system which allows you to cover large areas with a minimalist but at the same time innovative design.

An aluminum silver powder coated mast and one or two independently closable and tiltable awnings, provide shade where it is needed.


The system allows to connect several Flexy Twin. Ideal for contract (hotels, restaurants...) and residential use (villas, private gardens).

The canopy closes easily thanks to a simple pulley system.

The Flexy Twin can be supplied with both freestanding or ground insert bases.

The structure is made of aluminum with stainless steel hardware.

On request it can be equipped with lights. All FIM Products are designed and made in Italy using the finest materials for outdoor use, ensuring long life even under the harshest environmental conditions.



















BASI



COD. GBASE004000

BASE FLEXY TWIN

Hot dip galvanized steel base with adjustable feet. Requires dedicated concrete ballast or equivalent.



COD. GZAVO000200

ZAVORRA IN CEMENTO FLEXY TWIN

Three cement ballasts for single base.



COD. GBASE003900

BASE STYLO FLEXY TWIN

Steel ground insert base. Supplied fixing screws.

COLORS





Water repellent and stain-resistant acrylic fabric. Available in Ecru (raw) colour. The ideal fabric, excellent value. 290 gr/m².

Solution dyed Acrylic fabric

Designed for outdoor use, the solution (spun) dyed acrylic fabric resists salt water, chlorine and any type of harsh climate.

Colours do not bleed and remain vibrant for a long time. A specific treatment makes the fabric water repellent, mould resistant and protects it from staining. This type of fabric resists the most extreme conditions and is suitable for year-round use in gardens, terraces, pool sides or on-board boats. It's definitely the top choice canopy fabric to select for your Product.

UPF 50+ (UV Protection Factor) 280 ar/m².

Micro-Mesh fabric

This fabric allows natural air flow and has an excellent resistance to wind, ensuring a pleasant shading at the same time. Suggested to those who want a surely eye-catching alternative fabric. Its fibre composition, taking advantage of the "Precontraint" technology, guarantees an exceptional resistance to tearing, ultraviolet light and mould.


410 gr/m².

Airfim fabric

Waterproof fabric assuring total protection from rain, which does not even permeate the stitches. A stain-resistant treatment contributes toward a better dirt resistance of the fabric, too. A regular wash with a neutral cleaning agent guarantees a long lifespan.

UPF 80 (UV Protection Factor) 190 gr/m².





FINISHES

Frame finishes




The materials used have been specifically selected and treated to maintain our products durability and consistency over time.

The colors may differ from the real ones.


TECHNICAL FEATURES


PRODUCT	SIZE (cm)	TECHNICAL FEATURES			
	250×523	STRUCTURE	↔		Ω KG
FLEXY TWIN	•	Aluminium gray	•	•	135 kg


FLEXY TWIN BASE FLEXY TWIN




FLEXY TWIN BASE STYLO











FLEXY TWIN MEASURE TABLE											
SIZE (cm)	А	В	С	D	E	F	G				
250x523	544	272	250	243	232	228	18				


GBASE004000







GBASE003900



SIMBOLS TABLE







Minimum required base weight.

WWW.FIM-UMBRELLAS.COM

