

FLEXY XL









• Tilt system of the canopy

• Cover made of individual panels

• Double pole

• Winch opening

• Possibility to cover large spaces joining several Flexy of different dimensions

Size	
■	500x488 - 400x488
■	500x428 - 400x428
■	500x369 - 400x369
■	450x488
■	450x428
■	450x369

BASI



COD. GBASE003800

BASE FLEXY XL

Hot dip galvanized steel base with adjustable feet.
Requires dedicated concrete ballast or equivalent.
2 bases are needed for each Flexy XL.



COD. GZAVO000100

ZAVORRA IN CEMENTO FLEXY XL

Three cement ballasts for single base.



COD. GBASE003900

BASE STYLO FLEXY XL

Steel ground insert base. Supplied fixing screws.
Four bases for each Flexy XL are required.

COLOURS



Acrylic fabric

Water repellent and stain-resistant acrylic fabric. Available in Ecu (raw) colour.
The ideal fabric, excellent value.
290 gr/m².

Solution dyed Acrylic fabric

Designed for outdoor use, the solution (spun) dyed acrylic fabric resists salt water, chlorine and any type of harsh climate. Colours do not bleed and remain vibrant for a long time. A specific treatment makes the fabric water repellent, mould resistant and protects it from staining. This type of fabric resists the most extreme conditions and is suitable for year-round use in gardens, terraces, pool sides or on-board boats. It's definitely the top choice canopy fabric to select for your Product.
UPF 50+ (UV Protection Factor) 280 gr/m².

Micro-Mesh fabric

This fabric allows natural air flow and has an excellent resistance to wind, ensuring a pleasant shading at the same time. Suggested to those who want a surely eye-catching alternative fabric. Its fibre composition, taking advantage of the "Precontraint" technology, guarantees an exceptional resistance to tearing, ultraviolet light and mould.
410 gr/m².

Airfim fabric

Waterproof fabric assuring total protection from rain, which does not even permeate the stitches. A stain-resistant treatment contributes toward a better dirt resistance of the fabric, too. A regular wash with a neutral cleaning agent guarantees a long lifespan.
UPF 80 (UV Protection Factor) 190 gr/m².


Solution dyed Acrylic Fabric




S00 Natural
5404




S01 Canvas
5453



S03 Heather Beige
5476



S15 Cocoa
5425




S04 Taupe
3729




S10 Walnut
5470




S16 Shingles
3706



S18 Gray
3737




N01 Sooty
10030



S13 Black
5408



S21 Sunflower
5457



S11 Tuscany
5417



S14 Logo Red
5477




S19 Clay Court
3744



S06 Macao
3738



S07 Forest Green
5446



S05 Mineral Blue
5420




S09 Navy Blue
5439



S24 Narval
3763



S28 Parma
3761



S29 Burgundy
5436



Acrylic Fabric




A00 Ecrù




Micro-Mesh-Fabric




M03 Bianco
5001



M01 Cenere
5014



M02 Coffee
5015




M00 Nero
5005



Airfim Fabric



I05 Bianco
9755



I01 Ecrù
9883



I02 Verde
9710



I03 Blue
9545



I00 Bordeaux
9879



I07 Gray
9654

The colors may differ from the real ones.

FINISHES




Frame finishes




ANODIC

*The materials used have been specifically selected and treated to maintain our products durability and consistency over time.
The colors may differ from the real ones.*


TECHNICAL FEATURES

PRODUCT	SIZE (cm)									TECHNICAL FEATURES			
	500x488	500x428	500x369	450x488	450x428	450x369	400x488	400x428	400x369	STRUCTURE			
FLEXY XL	•	•	•	•	•	•	•	•	•	Aluminium gray	•	•	2x175 kg

FLEXY XL BASE FLEXY XL




FLEXY XL BASE STYLO





TFLEXY XL MEASURE TABLE								
SIZE (cm)	A	B	C	D	E	F	G	H
500x488	500	488	520	560	258	29	254	90
500x428	500	428	460	500	258	29	254	90
500x369	500	369	401	441	258	29	254	90
450x488	450	488	520	560	258	26	254	90
450x428	450	428	460	500	258	26	254	90
450x369	450	369	401	441	258	26	254	90
400x488	400	488	520	560	258	23	254	90
400x428	400	428	460	500	258	23	254	90
400x369	400	369	401	441	258	23	254	90


GBASE003800



GBASE003900




SIMBOLS TABLE



Single crossbar.



Tilt system of the canopy.



Minimum required base weight.

WWW.FIM-UMBRELLAS.COM

